




1 Panel **20 45 60 90**




2 Panel **20 45 60 90**




3 Equal Panel **20 45 60 90**




3 Panel **20 45 60 90**




4 Panel **20 45 60 90**




5 Panel **20 45 60 90**


 Fire-Ratings in minutes available in addition to non-rated.
Doors on this page all have a temperature rise rating of 250°F.




5 Horizontal Panel **20 45 60 90**




6 Panel Colonial **20 45 60 90**




6 Panel (2x3) **20 45 60 90**




6 Panel (3x2) **20 45 60 90**




8 Panel **20 45 60 90**




9 Panel **20 45 60 90**


 Fire-Ratings in minutes available in addition to non-rated.
Doors on this page all have a temperature rise rating of 250°F.




1 Lite 20




2 Lite 20




8 Lite 20



10 Lite 20




12 Lite 20




15 Lite 20


Fire-Ratings in minutes available in addition to non-rated.




18 Lite  20




1 Lite 1 Panel  20 45 60 90



1 Lite 2 Panel  20 45 60 90



1 Lite 3 Panel  20 45 60 90




2 Lite 4 Panel  20 45 60 90


Note: 45, 60, and 90-minute doors require metal or veneer wrapped metal lite kits (not true-divided lite) which will decrease the illustrated division of 1" to .75".

60 and 90-minute doors with more than 100 sq. in. clear view area of glazing will carry a temperature rise rating in excess of 650°F.


 Fire-Ratings in minutes available in addition to non-rated.




9 Lite 1 Panel **20/45/60/90**




9 Lite 2 Panel **20/45/60/90**



9 Lite 3 Panel **20/45/60/90**



9 Lite 4 Panel **20/45/60/90**



12 Lite 1 Panel **20/45/60/90**

Note: 45, 60, and 90-minute doors require metal or veneer wrapped metal life kits (not true-divided lite) which will decrease the illustrated division of 1" to .75".

Metal grills, such as the ones shown on this page, are not available with wood veneer.

60 and 90-minute doors with more than 100 sq. in. clear view area of glazing will carry a temperature rise rating in excess of 650°F.

 Fire-Ratings in minutes available in addition to non-rated.